

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	6	7	13
		% within Sex	.4%	1.0%	.6%
	1 (12-23 mo)	Count	2	0	2
		% within Sex	.1%	.0%	.1%
	2-4	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	5-12	Count	5	0	5
		% within Sex	.3%	.0%	.2%
	13-19	Count	49	61	110
		% within Sex	3.1%	8.9%	4.9%
	20-24	Count	166	130	296
		% within Sex	10.5%	19.1%	13.1%
	25-29	Count	239	123	362
		% within Sex	15.1%	18.0%	16.0%
	30-34	Count	309	111	420
		% within Sex	19.6%	16.3%	18.6%
	35-39	Count	298	84	382
		% within Sex	18.9%	12.3%	16.9%
	40-44	Count	229	70	299
		% within Sex	14.5%	10.3%	13.2%
	45-49	Count	135	57	192
		% within Sex	8.5%	8.4%	8.5%
	50-54	Count	68	21	89
		% within Sex	4.3%	3.1%	3.9%
	55-59	Count	36	12	48
		% within Sex	2.3%	1.8%	2.1%
	60-64	Count	19	1	20
		% within Sex	1.2%	.1%	.9%
	65-69	Count	8	2	10
		% within Sex	.5%	.3%	.4%
	70+	Count	8	2	10
		% within Sex	.5%	.3%	.4%
Total		Count	1579	682	2261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	582	130	712
		% within Sex	36.9%	19.1%	31.5%
	African American	Count	677	449	1126
		% within Sex	42.9%	65.8%	49.8%
	Hispanic	Count	284	87	371
		% within Sex	18.0%	12.8%	16.4%
	Asian-Pacific Islander	Count	22	6	28
		% within Sex	1.4%	.9%	1.2%
	Am Indian-Alaskan	Count	2	3	5
		% within Sex	.1%	.4%	.2%
	Not Specified	Count	12	7	19
		% within Sex	.8%	1.0%	.8%
	Total	Count	1579	682	2261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	701	0	701
		% within Sex	44.4%	.0%	31.0%
	IDU	Count	63	52	115
		% within Sex	4.0%	7.6%	5.1%
	M-M & IDU	Count	64	0	64
		% within Sex	4.1%	.0%	2.8%
	Heterosexual Contact	Count	174	281	455
		% within Sex	11.0%	41.2%	20.1%
	Transfusion	Count	0	1	1
		% within Sex	.0%	.1%	.0%
	Not Classified	Count	562	340	902
		% within Sex	35.6%	49.9%	39.9%
	Ped Parent at Risk	Count	13	7	20
		% within Sex	.8%	1.0%	.9%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Total	Count	1579	682	2261
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	1	711	712
		% within Adult-Ped	4.3%	31.8%	31.5%
	African American	Count	14	1112	1126
		% within Adult-Ped	60.9%	49.7%	49.8%
	Hispanic	Count	6	365	371
		% within Adult-Ped	26.1%	16.3%	16.4%
	Asian-Pacific Islander	Count	1	27	28
		% within Adult-Ped	4.3%	1.2%	1.2%
	Am Indian-Alaskan	Count	1	4	5
		% within Adult-Ped	4.3%	.2%	.2%
	Not Specified	Count	0	19	19
		% within Adult-Ped	.0%	.8%	.8%
	Total	Count	23	2238	2261
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	5	7
		% within Sex	.2%	1.0%	.5%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.2%	.1%
	2-4	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	5-12	Count	0	1	1
		% within Sex	.0%	.2%	.1%
	13-19	Count	29	55	84
		% within Sex	3.0%	11.5%	5.8%
	20-24	Count	131	90	221
		% within Sex	13.6%	18.8%	15.4%
	25-29	Count	173	102	275
		% within Sex	18.0%	21.3%	19.1%
	30-34	Count	219	82	301
		% within Sex	22.8%	17.1%	20.9%
	35-39	Count	165	50	215
		% within Sex	17.2%	10.4%	14.9%
	40-44	Count	107	45	152
		% within Sex	11.1%	9.4%	10.6%
	45-49	Count	71	30	101
		% within Sex	7.4%	6.3%	7.0%
	50-54	Count	36	11	47
		% within Sex	3.8%	2.3%	3.3%
	55-59	Count	14	4	18
		% within Sex	1.5%	.8%	1.3%
	60-64	Count	6	2	8
		% within Sex	.6%	.4%	.6%
	65-69	Count	2	1	3
		% within Sex	.2%	.2%	.2%
	70+	Count	3	0	3
		% within Sex	.3%	.0%	.2%
Total		Count	960	479	1439
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	322	85	407
		% within Sex	33.5%	17.7%	28.3%
	African American	Count	439	342	781
		% within Sex	45.7%	71.4%	54.3%
	Hispanic	Count	189	48	237
		% within Sex	19.7%	10.0%	16.5%
	Asian-Pacific Islander	Count	6	4	10
		% within Sex	.6%	.8%	.7%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Not Specified	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Total	Count	960	479	1439
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	535	0	535
		% within Sex	55.7%	.0%	37.2%
	IDU	Count	67	68	135
		% within Sex	7.0%	14.2%	9.4%
	M-M & IDU	Count	44	0	44
		% within Sex	4.6%	.0%	3.1%
	Heterosexual Contact	Count	97	258	355
		% within Sex	10.1%	53.9%	24.7%
	Transfusion	Count	0	1	1
		% within Sex	.0%	.2%	.1%
	Not Classified	Count	213	145	358
		% within Sex	22.2%	30.3%	24.9%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	.4%	1.3%	.7%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.2%	.1%
	Total	Count	960	479	1439
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	407	407
		% within Adult-Ped	.0%	28.5%	28.3%
	African American	Count	10	771	781
		% within Adult-Ped	90.9%	54.0%	54.3%
	Hispanic	Count	1	236	237
		% within Adult-Ped	9.1%	16.5%	16.5%
	Asian-Pacific Islander	Count	0	10	10
		% within Adult-Ped	.0%	.7%	.7%
	Am Indian-Alaskan	Count	0	2	2
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	11	1428	1439
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	59	59	118
		% within Sex	1.2%	2.3%	1.6%
	1 (12-23 mo)	Count	14	12	26
		% within Sex	.3%	.5%	.4%
	2-4	Count	18	11	29
		% within Sex	.4%	.4%	.4%
	5-12	Count	22	11	33
		% within Sex	.5%	.4%	.4%
	13-19	Count	135	322	457
		% within Sex	2.8%	12.7%	6.2%
	20-24	Count	583	501	1084
		% within Sex	12.0%	19.7%	14.7%
	25-29	Count	811	457	1268
		% within Sex	16.7%	18.0%	17.1%
	30-34	Count	998	406	1404
		% within Sex	20.6%	16.0%	19.0%
	35-39	Count	915	279	1194
		% within Sex	18.9%	11.0%	16.1%
	40-44	Count	594	215	809
		% within Sex	12.2%	8.5%	10.9%
	45-49	Count	360	148	508
		% within Sex	7.4%	5.8%	6.9%
	50-54	Count	175	69	244
		% within Sex	3.6%	2.7%	3.3%
	55-59	Count	90	33	123
		% within Sex	1.9%	1.3%	1.7%
	60-64	Count	42	9	51
		% within Sex	.9%	.4%	.7%
65-69	Count	17	6	23	
	% within Sex	.4%	.2%	.3%	
70+	Count	18	6	24	
	% within Sex	.4%	.2%	.3%	
Unknown	Count	3	0	3	
	% within Sex	.1%	.0%	.0%	
Total		Count	4854	2544	7398
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1755	450	2205
		% within Sex	36.2%	17.7%	29.8%
	African American	Count	2234	1796	4030
		% within Sex	46.0%	70.6%	54.5%
	Hispanic	Count	796	264	1060
		% within Sex	16.4%	10.4%	14.3%
	Asian-Pacific Islander	Count	36	13	49
		% within Sex	.7%	.5%	.7%
	Am Indian-Alaskan	Count	7	4	11
		% within Sex	.1%	.2%	.1%
	Not Specified	Count	26	17	43
		% within Sex	.5%	.7%	.6%
	Total	Count	4854	2544	7398
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2361	0	2361
		% within Sex	48.6%	.0%	31.9%
	IDU	Count	378	373	751
		% within Sex	7.8%	14.7%	10.2%
	M-M & IDU	Count	317	0	317
		% within Sex	6.5%	.0%	4.3%
	Hemophiliac	Count	2	1	3
		% within Sex	.0%	.0%	.0%
	Heterosexual Contact	Count	507	1269	1776
		% within Sex	10.4%	49.9%	24.0%
	Transfusion	Count	3	5	8
		% within Sex	.1%	.2%	.1%
	Not Classified	Count	1173	803	1976
		% within Sex	24.2%	31.6%	26.7%
	Ped Hemophiliac	Count	4	1	5
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	95	85	180
		% within Sex	2.0%	3.3%	2.4%
	Ped Transfusion	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	13	7	20
		% within Sex	.3%	.3%	.3%
	Total	Count	4854	2544	7398
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	31	2172	2	2205
		% within Adult-Ped	15.0%	30.2%	66.7%	29.8%
	African American	Count	138	3892	0	4030
		% within Adult-Ped	67.0%	54.1%	.0%	54.5%
	Hispanic	Count	28	1031	1	1060
		% within Adult-Ped	13.6%	14.3%	33.3%	14.3%
	Asian-Pacific Islander	Count	1	48	0	49
		% within Adult-Ped	.5%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	1	10	0	11
		% within Adult-Ped	.5%	.1%	.0%	.1%
	Not Specified	Count	7	36	0	43
		% within Adult-Ped	3.4%	.5%	.0%	.6%
	Total	Count	206	7189	3	7398
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	53	59	112
		% within Sex	1.1%	2.3%	1.5%
	1 (12-23 mo)	Count	14	12	26
		% within Sex	.3%	.5%	.4%
	2-4	Count	18	11	29
		% within Sex	.4%	.4%	.4%
	5-12	Count	20	10	30
		% within Sex	.4%	.4%	.4%
	13-19	Count	135	321	456
		% within Sex	2.8%	12.8%	6.3%
	20-24	Count	581	498	1079
		% within Sex	12.2%	19.8%	14.8%
	25-29	Count	805	455	1260
		% within Sex	16.9%	18.1%	17.3%
	30-34	Count	991	401	1392
		% within Sex	20.8%	15.9%	19.1%
	35-39	Count	904	279	1183
		% within Sex	18.9%	11.1%	16.2%
	40-44	Count	584	209	793
		% within Sex	12.2%	8.3%	10.9%
	45-49	Count	346	144	490
		% within Sex	7.2%	5.7%	6.7%
	50-54	Count	170	68	238
		% within Sex	3.6%	2.7%	3.3%
	55-59	Count	81	30	111
		% within Sex	1.7%	1.2%	1.5%
	60-64	Count	37	8	45
		% within Sex	.8%	.3%	.6%
65-69	Count	16	5	21	
	% within Sex	.3%	.2%	.3%	
70+	Count	16	5	21	
	% within Sex	.3%	.2%	.3%	
Unknown	Count	3	0	3	
	% within Sex	.1%	.0%	.0%	
Total		Count	4774	2515	7289
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	2	3
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	4	4	8
		% within Sex	.1%	.2%	.1%
	2-4	Count	11	10	21
		% within Sex	.2%	.4%	.3%
	5-12	Count	63	56	119
		% within Sex	1.3%	2.2%	1.6%
	13-19	Count	44	72	116
		% within Sex	.9%	2.9%	1.6%
	20-24	Count	251	335	586
		% within Sex	5.3%	13.3%	8.0%
	25-29	Count	498	456	954
		% within Sex	10.4%	18.1%	13.1%
	30-34	Count	748	446	1194
		% within Sex	15.7%	17.7%	16.4%
	35-39	Count	964	382	1346
		% within Sex	20.2%	15.2%	18.5%
	40-44	Count	911	304	1215
		% within Sex	19.1%	12.1%	16.7%
	45-49	Count	632	223	855
		% within Sex	13.2%	8.9%	11.7%
	50-54	Count	341	118	459
		% within Sex	7.1%	4.7%	6.3%
	55-59	Count	165	67	232
		% within Sex	3.5%	2.7%	3.2%
	60-64	Count	78	24	102
		% within Sex	1.6%	1.0%	1.4%
	65-69	Count	30	8	38
		% within Sex	.6%	.3%	.5%
	70+	Count	33	8	41
		% within Sex	.7%	.3%	.6%
Total		Count	4774	2515	7289
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1718	442	2160
		% within Sex	36.0%	17.6%	29.6%
	African American	Count	2199	1775	3974
		% within Sex	46.1%	70.6%	54.5%
	Hispanic	Count	790	264	1054
		% within Sex	16.5%	10.5%	14.5%
	Asian-Pacific Islander	Count	35	13	48
		% within Sex	.7%	.5%	.7%
	Am Indian-Alaskan	Count	7	4	11
		% within Sex	.1%	.2%	.2%
	Not Specified	Count	25	17	42
		% within Sex	.5%	.7%	.6%
	Total	Count	4774	2515	7289
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2339	0	2339
		% within Sex	49.0%	.0%	32.1%
	IDU	Count	364	366	730
		% within Sex	7.6%	14.6%	10.0%
	M-M & IDU	Count	309	0	309
		% within Sex	6.5%	.0%	4.2%
	Hemophiliac	Count	2	1	3
		% within Sex	.0%	.0%	.0%
	Heterosexual Contact	Count	499	1262	1761
		% within Sex	10.5%	50.2%	24.2%
	Transfusion	Count	3	4	7
		% within Sex	.1%	.2%	.1%
	Not Classified	Count	1153	790	1943
		% within Sex	24.2%	31.4%	26.7%
	Ped Hemophiliac	Count	3	1	4
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	89	84	173
		% within Sex	1.9%	3.3%	2.4%
	Ped Transfusion	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	12	7	19
		% within Sex	.3%	.3%	.3%
	Total	Count	4774	2515	7289
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	28	2130	2	2160
		% within Adult-Ped	14.2%	30.0%	66.7%	29.6%
	African American	Count	132	3842	0	3974
		% within Adult-Ped	67.0%	54.2%	.0%	54.5%
	Hispanic	Count	28	1025	1	1054
		% within Adult-Ped	14.2%	14.5%	33.3%	14.5%
	Asian-Pacific Islander	Count	1	47	0	48
		% within Adult-Ped	.5%	.7%	.0%	.7%
	Am Indian-Alaskan	Count	1	10	0	11
		% within Adult-Ped	.5%	.1%	.0%	.2%
	Not Specified	Count	7	35	0	42
		% within Adult-Ped	3.6%	.5%	.0%	.6%
	Total	Count	197	7089	3	7289
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	5-12	Count	0	1	1
		% within Sex	.0%	.2%	.1%
	13-19	Count	9	5	14
		% within Sex	.7%	1.2%	.8%
	20-24	Count	61	39	100
		% within Sex	4.9%	9.2%	6.0%
	25-29	Count	103	67	170
		% within Sex	8.2%	15.7%	10.1%
	30-34	Count	203	63	266
		% within Sex	16.2%	14.8%	15.8%
	35-39	Count	299	81	380
		% within Sex	23.9%	19.0%	22.6%
	40-44	Count	216	71	287
		% within Sex	17.2%	16.7%	17.1%
	45-49	Count	170	38	208
		% within Sex	13.6%	8.9%	12.4%
	50-54	Count	104	26	130
		% within Sex	8.3%	6.1%	7.7%
55-59	Count	40	16	56	
	% within Sex	3.2%	3.8%	3.3%	
60-64	Count	24	13	37	
	% within Sex	1.9%	3.1%	2.2%	
65-69	Count	11	2	13	
	% within Sex	.9%	.5%	.8%	
70+	Count	12	4	16	
	% within Sex	1.0%	.9%	1.0%	
Total	Count	1253	426	1679	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	432	71	503
		% within Sex	34.5%	16.7%	30.0%
	African American	Count	541	294	835
		% within Sex	43.2%	69.0%	49.7%
	Hispanic	Count	262	57	319
		% within Sex	20.9%	13.4%	19.0%
	Asian-Pacific Islander	Count	15	4	19
		% within Sex	1.2%	.9%	1.1%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	1253	426	1679
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	553	0	553
		% within Sex	44.1%	.0%	32.9%
	IDU	Count	98	72	170
		% within Sex	7.8%	16.9%	10.1%
	M-M & IDU	Count	60	0	60
		% within Sex	4.8%	.0%	3.6%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	160	207	367
		% within Sex	12.8%	48.6%	21.9%
	Transfusion	Count	2	3	5
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	375	143	518
		% within Sex	29.9%	33.6%	30.9%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.2%	.2%	.2%
	Ped Other-Undet	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	1253	426	1679
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	503	503
		% within Adult-Ped	.0%	30.0%	30.0%
	African American	Count	2	833	835
		% within Adult-Ped	100.0%	49.7%	49.7%
	Hispanic	Count	0	319	319
		% within Adult-Ped	.0%	19.0%	19.0%
	Asian-Pacific Islander	Count	0	19	19
		% within Adult-Ped	.0%	1.1%	1.1%
	Am Indian-Alaskan	Count	0	2	2
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	2	1677	1679
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	13-19	Count	5	6	11
		% within Sex	.6%	2.0%	1.0%
	20-24	Count	33	31	64
		% within Sex	4.0%	10.2%	5.6%
	25-29	Count	88	60	148
		% within Sex	10.6%	19.8%	13.1%
	30-34	Count	148	42	190
		% within Sex	17.8%	13.9%	16.8%
	35-39	Count	181	44	225
		% within Sex	21.8%	14.5%	19.9%
	40-44	Count	156	51	207
		% within Sex	18.8%	16.8%	18.3%
	45-49	Count	94	39	133
		% within Sex	11.3%	12.9%	11.7%
	50-54	Count	53	16	69
		% within Sex	6.4%	5.3%	6.1%
55-59	Count	41	10	51	
	% within Sex	4.9%	3.3%	4.5%	
60-64	Count	17	3	20	
	% within Sex	2.0%	1.0%	1.8%	
65-69	Count	8	1	9	
	% within Sex	1.0%	.3%	.8%	
70+	Count	4	0	4	
	% within Sex	.5%	.0%	.4%	
Total	Count	830	303	1133	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	280	35	315
		% within Sex	33.7%	11.6%	27.8%
	African American	Count	362	233	595
		% within Sex	43.6%	76.9%	52.5%
	Hispanic	Count	180	35	215
		% within Sex	21.7%	11.6%	19.0%
	Asian-Pacific Islander	Count	6	0	6
		% within Sex	.7%	.0%	.5%
	Not Specified	Count	2	0	2
		% within Sex	.2%	.0%	.2%
Total	Count	830	303	1133	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	440	0	440
		% within Sex	53.0%	.0%	38.8%
	IDU	Count	82	59	141
		% within Sex	9.9%	19.5%	12.4%
	M-M & IDU	Count	55	0	55
		% within Sex	6.6%	.0%	4.9%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	89	158	247
		% within Sex	10.7%	52.1%	21.8%
	Transfusion	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	Not Classified	Count	159	84	243
		% within Sex	19.2%	27.7%	21.4%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.1%	.7%	.3%
Total	Count	830	303	1133	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	315	315
		% within Adult-Ped	.0%	27.9%	27.8%
	African American	Count	1	594	595
		% within Adult-Ped	50.0%	52.5%	52.5%
	Hispanic	Count	0	215	215
		% within Adult-Ped	.0%	19.0%	19.0%
	Asian-Pacific Islander	Count	1	5	6
		% within Adult-Ped	50.0%	.4%	.5%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.2%	.2%
Total	Count	2	1131	1133	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	39	35	74
		% within Sex	.2%	.9%	.3%
	1 (12-23 mo)	Count	21	13	34
		% within Sex	.1%	.3%	.1%
	2-4	Count	23	32	55
		% within Sex	.1%	.8%	.2%
	5-12	Count	21	19	40
		% within Sex	.1%	.5%	.2%
	13-19	Count	111	119	230
		% within Sex	.5%	3.0%	.9%
	20-24	Count	964	417	1381
		% within Sex	4.3%	10.6%	5.3%
	25-29	Count	3275	734	4009
		% within Sex	14.7%	18.6%	15.3%
	30-34	Count	5259	753	6012
		% within Sex	23.7%	19.1%	23.0%
	35-39	Count	4926	669	5595
		% within Sex	22.2%	17.0%	21.4%
	40-44	Count	3458	502	3960
		% within Sex	15.6%	12.7%	15.1%
	45-49	Count	1936	277	2213
		% within Sex	8.7%	7.0%	8.5%
	50-54	Count	1068	163	1231
		% within Sex	4.8%	4.1%	4.7%
	55-59	Count	556	101	657
		% within Sex	2.5%	2.6%	2.5%
	60-64	Count	299	62	361
		% within Sex	1.3%	1.6%	1.4%
	65-69	Count	157	24	181
		% within Sex	.7%	.6%	.7%
	70+	Count	107	26	133
		% within Sex	.5%	.7%	.5%
	Total	Count	22220	3946	26166
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	12009	870	12879
		% within Sex	54.0%	22.0%	49.2%
	African American	Count	6811	2575	9386
		% within Sex	30.7%	65.3%	35.9%
	Hispanic	Count	3276	489	3765
		% within Sex	14.7%	12.4%	14.4%
	Asian-Pacific Islander	Count	90	10	100
		% within Sex	.4%	.3%	.4%
	Am Indian-Alaskan	Count	20	1	21
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	14	1	15
		% within Sex	.1%	.0%	.1%
	Total	Count	22220	3946	26166
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	14396	0	14396
		% within Sex	64.8%	.0%	55.0%
	IDU	Count	2114	1196	3310
		% within Sex	9.5%	30.3%	12.7%
	M-M & IDU	Count	2267	0	2267
		% within Sex	10.2%	.0%	8.7%
	Hemophiliac	Count	74	2	76
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1400	1925	3325
		% within Sex	6.3%	48.8%	12.7%
	Transfusion	Count	138	69	207
		% within Sex	.6%	1.7%	.8%
	Not Classified	Count	1708	638	2346
		% within Sex	7.7%	16.2%	9.0%
	Ped Hemophiliac	Count	20	0	20
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	89	97	186
		% within Sex	.4%	2.5%	.7%
	Ped Transfusion	Count	11	13	24
		% within Sex	.0%	.3%	.1%
	Ped Confirmed Other	Count	0	1	1
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	3	5	8
		% within Sex	.0%	.1%	.0%
	Total	Count	22220	3946	26166
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	40	12839	12879
		% within Adult-Ped	19.7%	49.5%	49.2%
	African American	Count	122	9264	9386
		% within Adult-Ped	60.1%	35.7%	35.9%
	Hispanic	Count	40	3725	3765
		% within Adult-Ped	19.7%	14.3%	14.4%
	Asian-Pacific Islander	Count	1	99	100
		% within Adult-Ped	.5%	.4%	.4%
	Am Indian-Alaskan	Count	0	21	21
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	15	15
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	203	25963	26166
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	12	14	26
		% within Sex	.1%	.6%	.2%
	1 (12-23 mo)	Count	9	8	17
		% within Sex	.1%	.3%	.2%
	2-4	Count	11	14	25
		% within Sex	.1%	.6%	.2%
	5-12	Count	8	9	17
		% within Sex	.1%	.4%	.2%
	13-19	Count	57	82	139
		% within Sex	.7%	3.5%	1.3%
	20-24	Count	410	257	667
		% within Sex	4.7%	10.9%	6.0%
	25-29	Count	1144	451	1595
		% within Sex	13.0%	19.2%	14.3%
	30-34	Count	1973	451	2424
		% within Sex	22.5%	19.2%	21.8%
	35-39	Count	2025	385	2410
		% within Sex	23.1%	16.4%	21.7%
	40-44	Count	1438	305	1743
		% within Sex	16.4%	13.0%	15.7%
	45-49	Count	848	182	1030
		% within Sex	9.7%	7.7%	9.3%
	50-54	Count	467	98	565
		% within Sex	5.3%	4.2%	5.1%
	55-59	Count	201	54	255
		% within Sex	2.3%	2.3%	2.3%
	60-64	Count	86	22	108
		% within Sex	1.0%	.9%	1.0%
	65-69	Count	50	11	61
		% within Sex	.6%	.5%	.5%
	70+	Count	29	8	37
		% within Sex	.3%	.3%	.3%
	Total	Count	8768	2351	11119
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	2-4	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	5-12	Count	24	25	49
		% within Sex	.3%	1.1%	.4%
	13-19	Count	16	28	44
		% within Sex	.2%	1.2%	.4%
	20-24	Count	86	88	174
		% within Sex	1.0%	3.7%	1.6%
	25-29	Count	280	238	518
		% within Sex	3.2%	10.1%	4.7%
	30-34	Count	782	391	1173
		% within Sex	8.9%	16.6%	10.5%
	35-39	Count	1680	445	2125
		% within Sex	19.2%	18.9%	19.1%
	40-44	Count	2116	415	2531
		% within Sex	24.1%	17.7%	22.8%
	45-49	Count	1659	326	1985
		% within Sex	18.9%	13.9%	17.9%
	50-54	Count	1076	198	1274
		% within Sex	12.3%	8.4%	11.5%
	55-59	Count	564	92	656
		% within Sex	6.4%	3.9%	5.9%
	60-64	Count	267	60	327
		% within Sex	3.0%	2.6%	2.9%
	65-69	Count	124	25	149
		% within Sex	1.4%	1.1%	1.3%
	70+	Count	93	20	113
		% within Sex	1.1%	.9%	1.0%
Total		Count	8768	2351	11119
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	3846	450	4296
		% within Sex	43.9%	19.1%	38.6%
	African American	Count	3193	1566	4759
		% within Sex	36.4%	66.6%	42.8%
	Hispanic	Count	1650	327	1977
		% within Sex	18.8%	13.9%	17.8%
	Asian-Pacific Islander	Count	59	7	66
		% within Sex	.7%	.3%	.6%
	Am Indian-Alaskan	Count	8	1	9
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	12	0	12
		% within Sex	.1%	.0%	.1%
	Total	Count	8768	2351	11119
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5105	0	5105
		% within Sex	58.2%	.0%	45.9%
	IDU	Count	896	613	1509
		% within Sex	10.2%	26.1%	13.6%
	M-M & IDU	Count	840	0	840
		% within Sex	9.6%	.0%	7.6%
	Hemophiliac	Count	20	2	22
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	852	1232	2084
		% within Sex	9.7%	52.4%	18.7%
	Transfusion	Count	19	16	35
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	985	431	1416
		% within Sex	11.2%	18.3%	12.7%
	Ped Hemophiliac	Count	9	0	9
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	37	52	89
		% within Sex	.4%	2.2%	.8%
	Ped Transfusion	Count	4	1	5
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	1	4	5
		% within Sex	.0%	.2%	.0%
	Total	Count	8768	2351	11119
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	13	4283	4296
		% within Adult-Ped	15.3%	38.8%	38.6%
	African American	Count	50	4709	4759
		% within Adult-Ped	58.8%	42.7%	42.8%
	Hispanic	Count	22	1955	1977
		% within Adult-Ped	25.9%	17.7%	17.8%
	Asian-Pacific Islander	Count	0	66	66
		% within Adult-Ped	.0%	.6%	.6%
	Am Indian-Alaskan	Count	0	9	9
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	12	12
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	85	11034	11119
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Planning Area = East Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	65	73	138
		% within Sex	.5%	1.5%	.7%
	1 (12-23 mo)	Count	23	20	43
		% within Sex	.2%	.4%	.2%
	2-4	Count	29	25	54
		% within Sex	.2%	.5%	.3%
	5-12	Count	28	19	47
		% within Sex	.2%	.4%	.3%
	13-19	Count	192	403	595
		% within Sex	1.4%	8.3%	3.2%
	20-24	Count	991	755	1746
		% within Sex	7.3%	15.5%	9.5%
	25-29	Count	1949	906	2855
		% within Sex	14.4%	18.6%	15.5%
	30-34	Count	2964	852	3816
		% within Sex	21.9%	17.5%	20.7%
	35-39	Count	2929	664	3593
		% within Sex	21.6%	13.6%	19.5%
	40-44	Count	2022	514	2536
		% within Sex	14.9%	10.6%	13.8%
	45-49	Count	1194	326	1520
		% within Sex	8.8%	6.7%	8.3%
	50-54	Count	637	166	803
		% within Sex	4.7%	3.4%	4.4%
	55-59	Count	282	84	366
		% within Sex	2.1%	1.7%	2.0%
	60-64	Count	123	30	153
		% within Sex	.9%	.6%	.8%
	65-69	Count	66	16	82
		% within Sex	.5%	.3%	.4%
	70+	Count	45	13	58
		% within Sex	.3%	.3%	.3%
	Unknown	Count	3	0	3
		% within Sex	.0%	.0%	.0%
Total		Count	13542	4866	18408
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	1	2	3
		% within Sex	.0%	.0%	.0%
	1 (12-23 mo)	Count	4	4	8
		% within Sex	.0%	.1%	.0%
	2-4	Count	12	10	22
		% within Sex	.1%	.2%	.1%
	5-12	Count	87	81	168
		% within Sex	.6%	1.7%	.9%
	13-19	Count	60	100	160
		% within Sex	.4%	2.1%	.9%
	20-24	Count	337	423	760
		% within Sex	2.5%	8.7%	4.1%
	25-29	Count	778	694	1472
		% within Sex	5.7%	14.3%	8.0%
	30-34	Count	1530	837	2367
		% within Sex	11.3%	17.2%	12.9%
	35-39	Count	2644	827	3471
		% within Sex	19.5%	17.0%	18.9%
	40-44	Count	3027	719	3746
		% within Sex	22.4%	14.8%	20.3%
	45-49	Count	2291	549	2840
		% within Sex	16.9%	11.3%	15.4%
	50-54	Count	1417	316	1733
		% within Sex	10.5%	6.5%	9.4%
	55-59	Count	729	159	888
		% within Sex	5.4%	3.3%	4.8%
	60-64	Count	345	84	429
		% within Sex	2.5%	1.7%	2.3%
	65-69	Count	154	33	187
		% within Sex	1.1%	.7%	1.0%
	70+	Count	126	28	154
		% within Sex	.9%	.6%	.8%
Total		Count	13542	4866	18408
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	5564	892	6456
		% within Sex	41.1%	18.3%	35.1%
	African American	Count	5392	3341	8733
		% within Sex	39.8%	68.7%	47.4%
	Hispanic	Count	2440	591	3031
		% within Sex	18.0%	12.1%	16.5%
	Asian-Pacific Islander	Count	94	20	114
		% within Sex	.7%	.4%	.6%
	Am Indian-Alaskan	Count	15	5	20
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	37	17	54
		% within Sex	.3%	.3%	.3%
	Total	Count	13542	4866	18408
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	7444	0	7444
		% within Sex	55.0%	.0%	40.4%
	IDU	Count	1260	979	2239
		% within Sex	9.3%	20.1%	12.2%
	M-M & IDU	Count	1149	0	1149
		% within Sex	8.5%	.0%	6.2%
	Hemophiliac	Count	22	3	25
		% within Sex	.2%	.1%	.1%
	Heterosexual Contact	Count	1351	2494	3845
		% within Sex	10.0%	51.3%	20.9%
	Transfusion	Count	22	20	42
		% within Sex	.2%	.4%	.2%
	Not Classified	Count	2138	1221	3359
		% within Sex	15.8%	25.1%	18.2%
	Ped Hemophiliac	Count	12	1	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	126	136	262
		% within Sex	.9%	2.8%	1.4%
	Ped Transfusion	Count	5	1	6
		% within Sex	.0%	.0%	.0%
	Ped Other-Undet	Count	13	11	24
		% within Sex	.1%	.2%	.1%
	Total	Count	13542	4866	18408
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = East Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/ Adolescent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	41	6413	2	6456
		% within Adult-Ped	14.5%	35.4%	66.7%	35.1%
	African American	Count	182	8551	0	8733
		% within Adult-Ped	64.5%	47.2%	.0%	47.4%
	Hispanic	Count	50	2980	1	3031
		% within Adult-Ped	17.7%	16.4%	33.3%	16.5%
	Asian-Pacific Islander	Count	1	113	0	114
		% within Adult-Ped	.4%	.6%	.0%	.6%
	Am Indian-Alaskan	Count	1	19	0	20
		% within Adult-Ped	.4%	.1%	.0%	.1%
	Not Specified	Count	7	47	0	54
		% within Adult-Ped	2.5%	.3%	.0%	.3%
	Total	Count	282	18123	3	18408
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. Planning Area = East Texas